

VACCINATIONS A DANGER TO HEALTH?

Dr.-Ing. Joachim-F. Grätz, Oberhausen i. Obb., Germany

The theme of vaccination is currently more relevant than ever before. Large-scale, often aggressive propaganda campaigns in the media, even in special kindergarten magazines, try to play down the danger by reducing it all to a “jab”. It is clear only to a few people that this is not the case and that greater dangers lie in vaccinations than have so far been realized – not only for the individual but also for the whole of this race of man.

From observations and experience over a long period of years we can see that people are becoming increasingly ill from generation to generation. Just think of the many children suffering from neurodermatitis, spastic bronchitis, asthma, hay fever, dyslexia, hyperactivity and physical and/or mental disabilities. Later – in puberty – there are the additional, ever increasing problems concerning reproduction (menstruation complaints, genital mycosis, tubal pregnancy, miscarriages, and premature births, reduced sperm motility to mention but a few) culminating in absolute sterility. All this was not existent to this degree in the last generation, let alone the one before. If they continue in the same way humanity is steering headlong towards the greatest biological catastrophe, the danger of robbing itself of the capability to reproduce!

A great percentage of the damages mentioned above must be blamed on the highly praised vaccinations, as can be proved again and again on the basis of many casuistics in homeopathy. We are all steering towards a global catastrophe, if we do not learn to take on an individual responsibility for our health, our most precious asset. It is in fact a process which is gradually making slow progress, yet drops of water can erode rock formations. Each successive generation will be more affected than the previous one.

REACTIONS TO VACCINATION AND RESULTING DAMAGE

It does not take an opponent of vaccination to notice, time and time again, that children are disturbed in their general constitution after any kind of vaccination – any honest and down to earth observer with normal common sense can see it for himself. Vaccinated children are generally more likely to catch infectious diseases than those who have not been vaccinated, the reactions to vaccinations can be varied; the scale ranges from “none” to the gravest forms of encephalitis (inflammation of the brain) or meningitis (inflammation of the meninge) with resulting dementia.

Comparatively harmless reactions are a high temperature, sensitivity and inflammation where the injection was given, but there are more and more incidents of complications which can last a short time or (as is mostly the case), can be permanent. A frequent cause of maladjusted be-

havior, such as hyperactivity, aggressivity or other general “retarded developments” – children learn to speak later and often insufficiently, they are sometimes hardly able to read or write (dyslexia) – can be traced back to previous vaccinations. Also neurodermatitis or hay fever and infant’s asthma can often be linked to a vaccination. Children who were initially completely satisfied and “easy to care for” change – often the change can never be reversed. This all begins at a time when the vaccination program begins.

Generally we do not speak of *vaccination damage* (the authorities that is) until dramatic harm is visible, which is obvious to anyone and where the connection to vaccination can no longer be denied. Only these cases are officially recognized. But this is only the tip of the iceberg according to many critics. Vaccination damage can follow immediately after the vaccination, it can occur a few days or weeks later, often even months or years later. Unfortunately there are deaths too. The sudden infant death syndrome (SIDS) which seems to have no explanation for orthodox medicine is thought by many researchers to have an obvious connection to vaccinations – especially *whooping cough*.

REACTIONS TO VACCINATION IN YOUNG BABIES

With young babies and infants vaccination damage which leads to impairments of the brain and thereby causing motoric and/or mental disability, is usually difficult to discern, because symptoms of illness cannot be expressed at this age, and certain specific signs of illness are still not manifested. The brain, because of its lack of maturity, is not able – up to about the end of the third year – to react to the damage caused by the vaccination in any special way (inflammation). The reason for this is that the myelinization process has not reached its final point i.e. the separate nerve fibers in the central nervous system have not been fully surrounded with myelin, in other words insulated against “shortcircuit”. It is only after this point that all symptoms belonging to a postvaccinal encephalitis (inflammation of the brain) can definitely be proved.

In Germany the children are vaccinated at a very early age – before the “encephalitis phase” is reached. The possible form of reaction can therefore express itself “only” as *postvaccinal encephalitis* which shows little or no symptoms in the acute phase and is thus very difficult to recognize. It can also result in later forms of damage to a much greater degree (e. g. hyperactivity, autism, learning difficulties, retarded development) which Coulter clearly proves in his book “*Vaccination, Social Violence, and Criminaliaty: The Medical Assault on the American Brain*” and describes as forms of the *postencephalitic syndrome*, a collective term for the damage which occurs in a slight or a more serious illness of the brain accompanied by physical, psychological and mental deficiencies. Cases like these used to occur very rarely; a cluster of illnesseses occurred only as a result of epidemic encephalitis (as e. g. between 1919 and 1928) where permanent damage like this was caused. What gives rise to fear is that serious long-term neurological consequences need not necessarily be accompanied by strong reactions to previous vaccinations. This means for the homeopathic anamnesis in chronic cases that when parents often say “All vaccinations were well tolerated”, it is in principle worth nothing as an indicator. The miasmatic stigma can have taken place long since completely unnoticed,

and it is not until much later, sometimes after years or even decades, that they become evident to the full extent.

Vaccinations thus always affect the brain whether we are aware of it or not. They interrupt the process of myelinization or can even reverse this process. That means, that vaccine reactions, including serious vaccination damage, are primarily of a neurological nature (demyelinating encephalitis) and can hardly be influenced by psychotherapy or similar treatment, and healing is therefore a forlorn hope.

Seen in this way hyperactivity, dyslexia, aggressivity, elective mutism, autism to name but a few, must be regarded in a completely different light. According to the author these are all neurological disturbances of the brain in differing degrees of manifestation. There are no clear cut borders between hyperactivity, behavioral and/or perceptive disturbances or autism. There are only precise academic differences since each individual symptom is put into a different illness category without bothering about the cause. Looking at it from the standpoint of the brain as an organ it is one and the same phenomenon; neurological “short-circuits” in the brain due to insufficient myelinization but manifested in different regions and in different degrees of severity.

How can such severe reactions and irreparable damage result where the public is normally granted no insight into the matter? Is there a kind of logic behind it, a system, or are these just isolated accidents and coincidences? The question sounds almost heretical: Is it not a false sense of security produced by vaccination? Can vaccination help at all, or does it – on the contrary – bring great danger for the whole of mankind? The concept of vaccinating is based on a completely mistaken idea of how our immune system works. In fact there is no such training of the immune system in the way this has been imagined so far. Introducing inactivated or weakened pathogens or toxins (such as metabolites from pathogens) does not enable the organism to actively come to terms with a slighter form of the illness in order to teach the cells how to build up a specific immunity against the illness.

QUESTIONABLE PROTECTION BY VACCINATION

Many independent researchers of vaccination concur that inoculation does not protect from the illness against which it is applied. If an infection occurs despite an inoculation it is often much more severe and the danger of brain or organ damage much higher. Pediatricians who decided to stop inoculating confirm this. One often hears from them that the children are generally more healthy since vaccinations were stopped. Surely this is not propaganda, since one does not earn more by not inoculating.

In the U.S.A., mass outbreaks of measles occur in schools where 99 % of the pupils are inoculated. This has been confirmed by the *U. S. Centers of Disease Control*. Such phenomena are not new, however, and have been known since the start of mass vaccinations against smallpox (i. e. from the very beginning). From Saxony it is reported that in the early nineteenth century

there were repeatedly cases where vaccinated persons fell ill with smallpox after all, that there were epidemics among populations of which almost nine tenths had been inoculated!

Further it can be observed that an inoculation increasingly hinders normal infections and natural immunization in childhood causing the disease to break out later in puberty or even adulthood. Past childhood, however, all children's diseases are considerably more dangerous and often develop complications, which we homeopaths are very often faced with. Such a shifting was documented for smallpox as far back as 120 years ago. Advocates of vaccinations had to admit that smallpox, "hitherto exclusively a children's disease, now predominantly (80-90 % of all illnesses) attacks adults".

I think we slowly are beginning to realize that the effect of vaccinations does not live up to our previous conceptions, and that by uncritically adopting hypotheses we fell victim to systematic conditioning which has been perpetrated for decades. Our education has made us blind towards any analysis of such correlations, although this is one of the keys to many problems of our time.

VACCINATION FROM THE POINT OF VIEW OF CLASSICAL HOMEOPATHY

Famous students of Hahnemann already pointed out the "dangers of the smallpox vaccine" when the latter was still alive (1831). Today homeopathy can rely on almost 200 years of experience in treating vaccination side-effects and complications. Homeopathy is an experiential therapy and is based upon natural laws which Hahnemann had verified and described to perfection.

Let us recall the basic pillars:

- the spiritual life force that in the case of illness got out of balance;
- the simile-principle;
- the dematerialized remedies which are administered according to the simile-principle and cause the life force again to resonate in harmony.

In chronic diseases it gets a bit more complicated, because hereditary and acquired miasms play a central role. All chronic states stem from four basic illnesses, the *miasms* (see insert). By eliminating these miasms step by step with the aid of classical homeopathy the organism regains health – and enduring, (almost) absolute health at that.

Each of these miasms has its typical phenotype which a trained homeopath can recognize with the following criteria: present symptoms, previous illnesses, taking into consideration influences from all blood relations. Often several miasms are present in the organism of a person, so the chronic therapy has to be done with a series of remedies. Today, the majority of people are multimiasmic, whereby some miasms might be latent to differing degrees. This is becoming increasingly worse from generation to generation through heredity factors.

Now an inoculation can activate the miasmic predisposition – often sycotic or tuberculous – which the child inherited from its parents. The latent sycotic or tuberculous miasm – at first hardly noticeable – breaks out and takes on many forms. Often it links up to another active miasm, which already puts a strain on the infant, and thus causes tremendous damage. Reactions to vaccinations therefore belong to a specific type of chronic basic disease.

Since the domain of homeopathy is the healing of chronic diseases of any kind, it is able – now talking of vaccination – to turn the activating process described above back. Mostly, the miasmic predisposition can be completely eliminated, so that the prognosis is quite positive and often the children show no abnormalities. Insurmountable difficulties usually appear only when for years orthodox therapy with heavy medication had been tried or severe operations had been deemed necessary. But even then relatively good results can be achieved with homeopathy!

THE MIASM

The disease behind the disease. A fixed term in homeopathy describing the character of a chronic basic disease. Four miasms are recognized which are either inherited or acquired during one's life: the psora, the sycotic, the syphilitic and the tuberculous constitution. All chronic states are based upon those four miasms. Now there is a fifth miasm that is purely artificial: the drug miasm (due to the administration of strong drugs for years). A successful homeopathic therapy of chronic diseases can only be attained by checking these miasms first, for they never have the tendency to heal by themselves. They are always present and progress continuously, often insidiously and with many latent phases.

The chronic first anamnesis of an adult needs a lot of time and sometimes lasts anything up to 2 to 2.5 hours, for babies and children 1 to 1.5 hours. This includes a detailed description of the present ailments as well as the development of the patient from early childhood onwards until today – not just where illnesses are concerned, but also in a global context that has shaped and influenced the individual character spiritually and mentally. Further the family's influence upon the patient, the so-called miasmic predisposition going back to grandfather and great-grandfather, has to be checked before a wellfounded homeopathic treatment can be begun – something unique among all the world's therapy forms. An extensive family anamnesis is performed in order to recognize the inner logic of the illnesses and ailments.

HOMEOPATH'S CASE REPORT

Little Nick is a very convincing example. About two weeks after having been given the *triple vaccination* against *diphtheria, tetanus* and *polio* at the age of five months he became restless, slept more badly as time went on and finally suffered from cramps. The diagnosis was: salaam seizure (a form of epilepsy), hypsarrhythmia (a very pathological EEG) with the prognosis of remaining physically and mentally handicapped. Through the chronic amnesia I learnt that Nick from the start had showed the picture of a sycotic infant, with flatulence colics, diaper

dermatitis, conjunctivitis, difficulties to fall asleep and so on. His mother, too, showed clear signs of the sycotic miasm, for instance infant rheumatism, menstruation problems, candida infection in the genital area, a miscarriage, for a long time during childhood flatulence colics, inexplicable panic fears etc. The application of Medorrhinum LM18 – one drop in a spoonful of water every third day in the evening – afforded the boy a quite wonderful development. After an initial worsening of the cramps and an additional appearance of rashes on the head and in the face (like milk crust, neurodermatitis and psoriasis), but generally a mental and emotional maturation, the cramps and the other ailments disappeared, so that now Nick showed no abnormal symptoms whatsoever and started to develop normally.

In the chronic amnesia a homeopath will always inquire about inoculations. He is especially interested to know how many vaccinations had been administered during what length of time and how they were tolerated. The smallest disturbances that sometimes are observed after a vaccination, i. e. twitching of arms and legs, but also conspicuous signs like perpetual sleepiness, lack of interest, shrieking, an obvious break in development and more are very important factors. But not just overreactions point to a possible reaction to the vaccines. Even the absence of any reaction – like a lack of inflammation with smallpox, which then is followed by repeating the vaccinations – can be regarded as an indicator for the selection of the remedy. Especially the non-fight against a vaccine – when locally none of the usual signs appear by which the body frees itself from the injected toxins – is nevertheless a deep intrusion into the constitution; the “fight” becomes a chronic process, the so-called chronic vaccinosis.

CHILDREN'S DISEASES – A MIASMIC ATTEMPT AT SELF-HEALING

If a child is taken ill with a children's disease, this should be seen as the positive attempt by nature to free the body of one of these inherited miassms at least for some time – maybe five or ten years – (*syphilitic*: scarlet fever, diphtheria; *tuberculous*: whooping cough, measles, German measles; *sycotic*: mumps, varicella). *John Henry Allen* describes this very succinctly in his book “*The Chronic Miassms*”: “*If they (i. e. the children's diseases) are properly treated with the homeopathic remedies, they disappear without any follow-up diseases, whereby the complete system is largely freed from the present miassms and is renewed. But if the diseases have been treated wrongly, many types af chronic miasmic blockages (i. e. complicatiations) may appear which either stay forevcr or slowly but surely ruin that person's life.*”

Thus we may understand better that not every child goes through every children's disease. The organism needs the disease in question for its development, and not just on the organic level! Many parents may have noticed that after passing through a children's disease their child is not only physically more stable, but also mentally matured and more sensible. With every children's disease a maturation takes place that is important for human development. But this is only so when the disease is “left alone” and is not suppressed by fever-reducing medication, antibiotics, cortisone or other suppressants. Such measures massively hinder the body's discharging functions comparable to the suppression of the vagotonic healing phase and enhancing the risk of complications. To state it once more in all clarity: It is not the children's dis-

ease which causes possible complications, it is the predisposition, the inherited background, the miasm – *the disease behind the disease*, so to speak!

If going through one of the children's diseases necessary for the organism is hindered by a conventional vaccination, there is no further possibility anymore to free oneself of the miasm active at that time. Usually a hardly detectable process is thus started that often tends to become chronic. This means that the organism has to a large degree been robbed of its individual regulatory potential! Children's diseases are also displaced into adult life which is irresponsible, since they often are accompanied by complications.

The American female virologist *Hartmann*, a specialist for *German measles* and the vaccinations against it, found in those not inoculated against German measles a recurrence of the disease of only 3 %. In those inoculated however the quota rose to about 80 %! Despite having been inoculated more than half of the children got the disease anyway! Thus the German measles vaccine does not protect against the danger of a recurrence during pregnancy and thus also not against the danger of damage to the unborn child (embryopathy from German measles), Mrs. Hartmann suggests: "The opportunity to go through German measles in childhood should be left to as many young girls as possible."

VACCINATIONS SEEN STATISTICALLY

Statistics of all infectious diseases over the last 150 years – also of those diseases against which no vaccination campaigns had been instigated, like cholera and scarlet fever – and the characteristic curves derived therefrom clearly show the continuous drop of epidemic diseases. This general drop, however, is not caused by the introduction of vaccinations, as is repeatedly contended, but by the hygienic-technical improvements civilization has brought to the general situation of the populace. The vaccinations that started only much later provoked a significant reduction of this welcome trend. From the start of mass vaccinations all curves, and this is highlighted again and again by serious specialists like *Buchwald* and *Delarue*, show a deterioration of the course of the epidemics. That means that after mass vaccination programs were begun the drop in the number of those newly infected by the disease concerned was slowed or the curve even began to rise again! Vaccinations were then brought in when there was a natural slump in infectious diseases, and after their introduction the influences that became apparent were more of a negative nature.

PROTECTION THROUGH VACCINATION – A MISLEADING PSEUDO-CONCEPT

Apart from these considerations there is no longer any doubt as far as many independent vaccination researchers are concerned that inoculation does not protect against the illness which it is supposed to prevent. If infection occurs despite the inoculation the illness frequently proves to be much graver and there is a higher risk of damage to the brain or other organs. Vaccination then can never be equalled to taking ill and recovering from an illness. Neither life-long

immunity is achieved nor is any maturing process evident. The possibility of contracting the disease is not prevented, either, which is shown by the illnesses despite vaccination.

In addition immunologists disagree nowadays about what role the so-called antibodies really play in immunology. Orthodox medicine supports the premise that immunity is given as soon as antibodies are present; the hypothesis is then conceived with purely materialistic factors, based on a very simplified understanding of our immune system. It has, however, often been observed that people with a high antibody concentration in their blood died of the illness and others, who had no such antibody counts, survived or in fact never became ill at all, people that is who were expected to show some kind of pathological reaction at least. This picture includes exceptionally contagious diseases such as cholera. In the corpses of many persons who died of cholera there was no trace of vibrios to be found, whereas healthy persons carried the bacteria. *Max von Pettenkofer*, the world famous Professor for Hygiene, recognized this (he had made Munich the healthiest town in Germany by setting up sanitary installations), he snatched a retort with a pure culture of cholera bacteria that would have sufficed to spread the disease to a whole regiment from the hands of *Robert Koch*, and swallowed the complete contents in front of his astonished colleague: “What counts is the organism. If your theory were right, I would be a dead man within 24 hours”, he said.

The search for material substances is thus insufficient. The latest findings suggest that antibodies play a minimal role. They tell us that antibodies are only an accompanying factor of an extremely complex immunological reaction and at best represent the last link in a chain of defensive mechanisms, and can rarely be produced by persons in a healthy state. Our immune system is therefore much more complex than we have so far presumed. To reduce it to the mere presence of antibodies in such or such a concentration has proved to be an oversimplification and has moreover proved to be fallacious.

This incomplete hypothesis taught by immunologists becomes strikingly obvious in the case of vaccinations against *tuberculosis*, *tetanus* and *HIB* (*Haemophilus-influenzae-B*) since these three illnesses leave no kind of natural immunity. How should immunity be achieved through vaccination if it is not even given by a natural infection, and vaccinations try to work on the principle of copying nature?

The *antigene-antibody theory* (in the sense of the strongest sector of the immune defense mechanism) is not even conclusive and tenable according to orthodox medical tenets, or rather it never was or has been! Pasteur had willfully “deceived” the public in his day and committed scientific forgery by enhancing the results of his studies that had in reality delivered less convincing evidence. It was not until 1993 – after almost 20 years of studying Pasteur’s private notes from his laboratory work (about 10.000 pages) that this fraud could be discovered by Dr. Gerald L. Geison of the Historical Institute of the University of Princeton (U.S.A.).

POTENTIAL DANGERS FROM THE VACCINES THEMSELVES

The bases of the individual vaccines are – depending on the disease concerned – quite different in nature. There are:

- so-called live vaccines with pathogens that can multiply both virus and bacteria based (e. g. measles, mumps, polio/oral vaccine after Sabin, German measles, tuberculosis, typhoid)
- inactivated viral vaccines (e. g. polio/injected vaccine after Salk, influenza, hepatitis-B, rabies)
- inactivated bacterial vaccines (e. g. whooping cough)
- toxin or toxoid vaccines (e. g. diphtheria, tetanus).

Since viruses can only exist and multiply in living systems they are usually cultivated in animals – in cell cultures and in fertilized hen's eggs – or extracted from the blood of infected animals. Examples of cultivating media are brain tissue of rabbits, renal tissue of dogs, rabbits and monkeys, protein from hen's or duck's eggs, chicken embryos, bovine serum, horse or pig blood and pus from cowpocks: note that these are always live animals. Yet in an animal body, respectively in its organs, there also exist viruses that are able to react in a foreign organism quite differently than they would in the host organism from which they come. The effects such alien viruses may have on humans are largely unknown.

Cell cultures upon which viruses are cultivated may thus be contaminated by other (possibly totally unknown and not yet discovered) viruses that in this way might find their way into the vaccine. The attacking viruses are not inevitably rendered ineffective and thus may exist both in vaccines made from live and from inactivated viruses. One can never safely say that a cell culture is totally free of contamination by other viruses, for a substance can only be detected when the methods necessary for this detection are known. The theoretical possibilities are practically infinite, and one has to agree that any inoculation with live or inactivated viruses poses a potential risk. In virology the most recent experiences led to the insight that viruses may exist today about which nothing is yet known and which cannot at present be detected.

For some time now many vaccines have contained additives that are known to be dangerous and to have a whole gamut of side effects. Antibiotics are added for instance to dampen eventual immune reactions or overreactions. This is rather irresponsible since the tendency of antibiotics to inactivate the immune response that the inoculated person especially needs is well known.

Also, vaccines contain a series of so-called stabilizers, neutralizers, carrier substances and preservatives, all of which we would never willingly ingest in our food. Among them we find formaldehyde, mercury, aluminium sulfate, acetone (a solvent) and phenol (caustic and very poisonous).

Further the “vaccine cocktails” land mostly directly in the bloodstream of the organism, which is unnatural. By-passing all physical defense barriers – skin, mucous membranes, tonsils, gastrointestinal tract, liver – these foreign proteins and neurotoxins are injected directly into the muscles (and thus into the blood)! Such intrusions are not programmed in Nature, since they simply do not occur! This must result in the organism being simply overtaxed. This “going against Nature” culminates in the U.S. in the doctors administering the oral polio vaccine also handing out the macabre advice not to recommence immediately in breastfeeding the baby since the mother’s milk would contain neutralizing substances which would inactivate the polio virus in the intestine of the infant being breast-fed. And lastly, the vaccines – apart from the way they are produced – are tested in the most gruesome way in animal tests (as are almost all other drugs, too!), but here I will not go into this subject more deeply. I would just like to mention that the term “animal testing” feigns harmlessness and is a misnomer.

VACCINATION OF ANIMALS

If according to the natural laws presented vaccinations make no sense, this also has to be valid for animals. Here, too, we should observe that vaccinations do not protect but harm, and this is exactly so. In Germany since 1992 vaccinations against *foot-and-mouth disease* have no longer been allowed. Even importing inoculated animals or animal products from countries where the vaccination is still being undertaken is prohibited. In the revised version of the *German animal pest law* that had come into force half a year before, this vaccination is in fact no longer mentioned.

The decision to go along with the EU recommendation and lift the enforcement of vaccination, which means stopping vaccination against foot-and-mouth disease outright, is but the logical conclusion that should also have been applied to us humans a long time ago. The data of 1966 to 1988, during which period countries with and without yearly mass vaccinations co-existed, clearly show that in the countries with enforced vaccinations there were considerably more outbreaks than in those countries without legal stipulations to regulate vaccinations. The inoculating countries were always the starting points of open epidemics and thus actually a danger for the countries free of the disease. In the non-inoculating countries it was definitively proved that the disease only appeared through being brought in or transmitted from neighbouring inoculating countries.

Similar observations were made by African preservationists in 1989 about the African wild dog (hyena dog) that at the moment is severely threatened with extinction. After scientists had marked individual animals in the course of their research and had inoculated them against *rabies*, more than a dozen packs died within one year from rabies as tests showed. And this even in areas where the disease had never been observed before! The researchers who in the beginning only had inoculated individual dogs decided after their demise to vaccinate the dogs of the remaining packs with a non-infectious form of the pathogen. In this way they wanted to prevent the sudden death of the remaining animals. But the exact opposite happened: all members of the seven packs inoculated disappeared within the following year. Against this background the Swiss practice to lure and in this way inoculate wild foxes with chicken heads

laced with a rabies vaccine seems rather questionable. The exact opposite to the eradication of this dreadful infectious disease is thus perpetrated, namely its spreading! Similarly for domestic animals. To my knowledge a rabies shot is obligatory for every new dog license – and this every two years. A great danger also to the owners, especially for their children, for what child will not cuddle its beloved four-legged friend?

Another example concerns our saddle-horses. Their “immune system is also ruined slowly and surely by a multitude of vaccinations” (spoken by a vet). In most stables routine vaccinations and worm treatments must be attested, which frequently leads to acute and/or chronic ailments (cough, influenza, frequent bouts of illness, weakness, aggressivity, paralysis, inflammation of tendons, even miscarriages or stillbirths with pregnant mares, with young foals symptoms just as we find in sycotic babies in the form of diaper dermatitis. including diarrhea, sore and in some cases weeping wounds of the hindquarters as well as loss of hair in that region, and so on.

The opinion of an American female vet on this topic tells the whole story: “For a homeopath it is virtually impossible to heal an animal without first tackling the problems that the animal has suffered through vaccinations, whatever species of animal is concerned.” Another vet stated quite drastically at a vocational training congress of homeopathic vets in Germany (after he had made sure that all recording devices were switched off): “We are vaccinating the animals ‘to death’ and most of our colleagues know that.” Even Pasteur had to pay compensation to owners of flocks for those animals that died because of his vaccinations (anthrax). Moreover the fact that all cattle reared for meat – apart from a very few – are regularly vaccinated should be taken into consideration by all consumers of meat and sausage. Few people are aware of the situation where most meat has not only a hormone content but is also affected by several different vaccinations.

“HOMEOPATHY MAKES VACCINATION SUPERFLUOUS”

From homeopathic practice we know that reactions to and damage from vaccination occur especially when chronic diseases are prevalent within the family. So it is always a question of the personal history! A thorough homeopathic anti-miasmic therapy with the aim of cleaning the terrain therefore seems to be the best protection. If possible this should be done with the future parents before conception. If this is no longer possible, during pregnancy is a good time to effect a lot for the future mother, but also for the health of the child to be born, for “during pregnancy the miasm speaks very distinctly”.

On the whole one can observe that people who by now are being homeopathically treated in the second or third generation rarely suffer from acute illnesses, and if they do, it is intense, but only of short duration and without complications – and therein lies our greatest chance.

A pediatrician well known in homeopathic circles states unequivocally: “*Homeopathy is a form of therapy that renders vaccinations redundant, for it heals the weaknesses (i. e. the miasms) which form the basis for infectious diseases and their complications.*”

For this reason we should not try to disregard the problematic nature of vaccinations as a whole, or try to treat it playfully and bring it down to a “jab”, because not only the conventional conception of vaccinations is extremely questionable, but they cannot offer any real form of protection whatsoever, and moreover, according to the personal medical history and within the family, they can prove to be quite dangerous.

To put it in a nutshell: *Vaccinations are a gross disregard of the laws of Nature!!*

References

- Grätz, J.-F., “Sanfte Medizin – Die Heilkunst des Wassermannzeitalters”, 2007, Tisani Verlag, Oberhausen i. Obb., Germany
- Grätz, J.-F., “Klassische Homöopathie für die jungen Familie – Kinderwunsch, Schwangerschaftsbegleitung und Geburt, Kleinkindbetreuung, Entwicklungsstörungen und Behinderungen, natürliche Entwicklung”, 2. Auflage 2001, 2 Bände, Tisani Verlag, Oberhausen i. Obb., Germany
- Grätz, J.-F., “Sind Impfungen sinnvoll? – Ein Ratgeber aus der homöopathischen Praxis”, 8. Auflage 2005, Verlag Müller & Steinicke, München, Germany

See also the essay/article „Severe Vaccination Damage and its Homeopathic Cure“:

www.tisani-verlag.de/VaccinationDamage_e.pdf

Dr. Joachim-F. Grätz is an internationally well known homeopath in the German-speaking area. He has written several books about Classical Homeopathy including the chronic miasms, vaccination damages und their homeopathic cure as well as about 100 essays/articles in magazines and homeopathic journals.